	Impact 1013	e e water Montoring Schedule for e		er 2025	provement Works at Yuen Long Stage	2 (7 (13 () 1)	
un Mon Tue Wed					Thur	Fri	Sat
Sun	74011	Tue	1		2 Water quality monitoring at C6, C7A and C8	3	4
					Noise monitoring at SSNV_M2, SSNV_M3, SSNV_M6, HC_M3A, HC_M4, HC_M6, LFT_M1, LFT_M3A, LFT_M5, LFT_M6, LFT_M11, TW_M2 and TW_M3	Water quality monitoring at C4, C5 C6, C7A and C8	
5	Water quality monitoring at C1A, C2, C3A, C4, C5 C6, C7A, C8, C9 and C10	7	8 Water quality monitoring at C4, C5 C6, C7A and C8		Noise monitoring at SSNV_M2, SSNV_M3, SSNV_M6, HC_M3A, HC_M4, HC_M6, LFT_M1, LFT_M3A, LFT_M5, LFT_M6, LFT_M11, TW_M2 and TW_M3	Water quality monitoring at C4, C5 C6, C7A and C8	11
12	Water quality monitoring at C1A, C2, C3A, C4, C5 C6, C7A, C8, C9 and C10	14 Noise monitoring at SSNV_M2, SSNV_M3, SSNV_M6, HC_M3A, HC_M4, HC_M6, LFT_M1, LFT_M3A, LFT_M5, LFT_M6, LFT_M11, TW_M2 and TW_M3	Water quality monitoring at C4, C5 C6, C7A and C8		16	Water quality monitoring at C4, C5 C6, C7A and C8	18
19	20 Water quality monitoring at C1A, C2, C3A, C4, C5 C6, C7A, C8, C9 and C10	21	Water quality monitoring at C4, C5 C6, C7A and C8		Noise monitoring at SSNV_M2, SSNV_M3, SSNV_M6, HC_M3A, HC_M4, HC_M6, LFT_M1, LFT_M3A, LFT_M5, LFT_M6, LFT_M11, TW_M2 and TW_M3	Water quality monitoring at C4, C5 C6, C7A and C8	25
26	Water quality monitoring at C1A, C2, C3A, C4, C5 C6, C7A, C8, C9 and C10	28	29		Noise monitoring at SSNV_M2, SSNV_M3, SSNV_M6, HC_M3A, HC_M4, HC_M6, LFT_M1, LFT_M3A, LFT_M5, LFT_M6, LFT_M11, TW_M2 and TW_M3	Water quality monitoring at C4, C5 C6, C7A and C8	
Noise Monitoring Locations: Noise monitoring stations at Ha Che: HC M3A, HC M4, and HC M6 Noise monitoring stations at Tai Wo: TW M2 and TW M3 Noise monitoring stations at Lin Fa Tei: LFT M1, LFT M3A, LFT M5, LFT M6, and LFT M11 Noise monitoring stations at Sung Shan New Village: SSNV_M2, SSNV_M3, and SSNV_M6 Remarks:				Water quality monitoring st Water quality monitoring st	In the same of the		

Remarks:

1. The schedule may be changed due to unforescen circumstances (e.g. adverse weather, etc.)

2. As approved by the FPD that the frequency of water monitoring at Ha Che and Sung Shan New Village has been changed from three times per week to once per week.

3. Additional water monitoring is conducted at Lin Fa Tei due to exceedance found on 30 September 2025.

4. As confirmed by the Contrator that there will be no construction works undertaken on 1, 7 and 29 October 2025.